

AUTHORIZED DISTRIBUTORS

Ask the experts. Dillon distributors offer complete service capabilities from application assistance to sales and product support. Their experienced representatives are the most knowledgeable experts that you will find in the force measurement industry. We recommend that you consult these capable specialists for all of your measuring needs.

DILLON®

**Overload Protection and
Overhead Weighing Equipment**
1000 Armstrong Drive
Fairmont, Minnesota U.S.A. 56031
Toll-Free: (800) 368-2031
Phone: (507) 238-4461
Fax: (507) 238-8258

Foundry Lane, Smethwick
West Midlands B66 2LP
Tel: +44 (0) 845 246 6717
Fax: +44 (0) 845 246 6718



www.dillonforce.com
Dillon is a brand of Avery Weigh-Tronix

Dillon is a trademark of the Illinois Tool Works group of companies whose ultimate parent company is Illinois Tool Works Inc ("Illinois Tool Works"). Copyright © 2018 Illinois Tool Works. All rights reserved.

No part of this publication may be reproduced by making a facsimile copy, by the making of a copy in three dimensions of a two-dimensional work and the making of a copy in two dimensions of a three-dimensional work, stored in any medium by electronic means, or transmitted in any form or by any means, including electronic, mechanical, broadcasting, recording or otherwise without the prior written consent of the copyright owner, under license, or as permitted by law.

This publication was correct at the time of going to print, however Avery Weigh-Tronix reserves the right to alter without notice the specification, design, price or conditions of supply of any product or service at any time.

AWT35-501027
Issue AF

DILLON®

Mechanical AP Dynamometers



Installation Instructions



www.dillonforce.com/docs.html

1) General information and warnings

1.1 About this manual

This manual is divided into chapters by the chapter number and the large text at the top of a page. Subsections are labeled as shown by the 1.1 and 1.1.1 headings. The names of the chapter and the next subsection level appear at the top of alternating pages of the manual to remind you of where you are in the manual. The manual name and page numbers appear at the bottom of the pages.

1.2 Special messages

Examples of special messages you will see in this manual are defined below. The signal words have specific meanings to alert you to additional information or the relative level of hazard.



WARNING! This is a Warning symbol. Warnings mean that failure to follow specific practices and procedures may have major consequences such as injury or death.



CAUTION! This is a Caution symbol. Cautions give information about procedures that, if not observed, could result in damage to equipment or corruption to and loss of data.



NOTE: This is a Note symbol. Notes give additional and important information, hints and tips that help you to use your product.

1.3 Safe Operation



WARNING: If you overload this dynamometer you could suffer severe injuries or death. The total load on the dynamometer should NEVER exceed the rated capacity.

Keep all the following in mind as you use the dynamometer.

The system capacity is equal to the rating of the dynamometers. The shackle rating should not be used to determine lift capacity of the system.

Any zeroed deadload must be considered as part of the ultimate load.

Although this instrument has a substantial overload protection rating, the instrument should not be used above the rated capacity. Doing so can significantly impact fatigue life of the instrument and cause premature and abrupt failure. If a higher capacity reading is needed, Dillon insists that a larger instrument be used.

Safety is always a concern in overhead lifting and tensioning applications. To limit your liability always insist upon factory supplied shackles and pins and factory tested and certified safe optional equipment. All DILLON products are designed to meet the published Safe Working Load (SWL) and Ultimate Safety Factor (USF) standards of the United States Military. All CE marked models meet the SWL and ULL (Ultimate Load Limit) requirements of the European Machinery Directive.

Do not grind, stamp, drill or deform the metal on the dynamometer body in any way. Protect the instrument from impact in use and storage.

Any significant damage or deformation to the loading element is cause for evaluation by Dillon.

Relieve all torsional and off axis loads.

Apply load in the center of the shackle bow with this instrument.

Off center loading results in substandard performance.

Instrument requires time to stabilize when changing temperatures.

Use only the hardware supplied with this instrument. If no hardware was supplied, insure that the mating pin and shackle bow is equivalent to the hardware used at calibration. Otherwise substandard performance or failure can result.

Dillon recommends only using qualified rigging hardware and cannot be responsible for unapproved hardware.

This instrument is not designed for the following:

- Applications that see rapid, dramatic temperature swings or thermal shock. Wide variation in readings can occur.
- Intrinsically safe environments. This unit has not been Factory Mutual or ATEX tested.

1.4 Routine maintenance



IMPORTANT: This equipment must be routinely checked for proper operation and calibration.

Application and usage will determine the frequency of calibration required for safe operation.

1.5 Cleaning the Dynamometer

Cleaning DOs and DON'Ts

- o DO - Wipe down the outside of standard products with a clean cloth, moistened with water and a small amount of mild detergent
- o DO NOT - Attempt to clean the inside of the machine
- o DO NOT - Use harsh abrasives, solvents, scouring cleaners or alkaline cleaning solutions

1.6 Training

Do not attempt to operate or complete any procedure on a machine unless you have received the appropriate training or read the instructions.

2) Introduction

General description

A dynamometer is an instrument that displays the tension force exerted between the two attached shackles. It is generally used to determine tension in a line/cable or for suspended weighing.



The 50,000 lb dynamometer is not CE approved.

Figure 1.1 shows one model of dynamometer.




Figure 1.1 Dynamometer with shackles



CAUTION: *Dillon Dynamometers are not designed for measurement of dynamic shock loads and should not be subjected to sudden force. Load or weight should be applied in a gradual manner to avoid damaging the Dynamometer. Torque loads applied to the dynamometer should be relieved or avoided.*

Third-party shackles and attachments

Dillon supplies shackles and pins with the dynamometers that have been confirmed to properly work with our mechanical dynamometers. Do not use shackles or shackle pins that have not been qualified by Dillon. Lower profile non-machined spots can often be observed and are normal.



Dillon / Avery Weigh-Tronix is not responsible for failure of attachment fittings furnished by others.

Maintenance and handling

The Dillon Dynamometer is a precision instrument and will provide many years of dependable service if given reasonable care and suitable protection. Many firms make it a regular practice to return Dynamometers to their distributors at 6 to 8 month intervals (depending upon how much they are used) to have accuracy re-certified. We recommend this at least once a year. Consult with your Dillon distributor concerning any questions you may have about recalibration intervals. Your area may require periodic proof testing. Consult your local regulations.

Transport and store the dynamometer in the supplied storage case when not in use.

Operation


Zero the dynamometer for best accuracy. To properly zero the instrument when using the max pointer, adjust the black needle below the desired zero point using the zero adjustment wheel on the rear of the case. Move the red maximum pointer counterclockwise until it contacts the black needle. Use the zero adjustment wheel to simultaneously move both pointers to the desired zero point. This procedure will prevent the slight drag of the max pointer from influencing the displayed reading. If the max pointer is not required, rotate the red pointer clockwise until it reaches the zero position and operate normally.



WARNING: *Failure to adjust the max hand prior to use of the Dynamometer WILL affect the readings if the max hand is used.*



1.7 Declarations of Conformity



DILLON
Force Measurement Equipment



UK CA	UK Declaration of Conformity
Model / Type: Dillon AP	
Serial Number: X12500 Onwards	
Name and address of the manufacturer: Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP ENGLAND	
This declaration of conformity is issued under the sole responsibility of the manufacturer	
Object of the declaration: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
The machinery fulfills all the relevant provisions of the Machinery Directive 2006/42/EC³	
The object of the declaration described above is in conformity with the relevant statutory requirements applicable to the specific product:	
Statutory Requirements	UK standards or other technical specifications
Additional information: Note¹: ITW Ltd trading as Avery Weigh-Tronix Reg. Office: Nexus House, Station Road, Egham, Surrey, TW20 9LB, England Note²: Dillon is part of Avery Weigh-Tronix Note³: A copy of the Technical File for this equipment is available from M.S. Williams at the address above.	
Signed for and on behalf of: Avery Weigh-Tronix at 1000 Armstrong Drive, Fairmont, MN, 56031-1439, USA on 2021-07-16	
 E. Holland Director - R&D and Innovation	



1.7 Declarations of Conformity (Continued)







EN	EU Declaration of Conformity
Model / Type: Dillon AP	
Serial Number: X12500 Onwards	
Name and address of the manufacturer: Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP ENGLAND	
This declaration of conformity is issued under the sole responsibility of the manufacturer.	
Object of the declaration: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg  Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
The machinery fulfills all the relevant provisions of the Machinery Directive 2006/42/EC³	
The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:	
Applicable Directives	Harmonised standards or other technical specifications
Additional information: Nota¹: ITW Ltd trading as Avery Weigh-Tronix Reg. Office: Nexus House, Station Road, Egham, Surrey, TW20 9LB, England Nota²: Dillon is part of Avery Weigh-Tronix Nota³: A copy of the Technical File for this equipment is available from M.S. Williams at the address above.	
Signed for and on behalf of: Avery Weigh-Tronix at 1000 Armstrong Drive, Fairmont, MN, 56031-1439, USA on 2017-07-18  K. Detert Innovations/Marketing Director	

DE	EU- Konformitätserklärung
Modell / Typen: Dillon AP	
Seriennummer: Ab X12500	
Name und Anschrift des Herstellers: Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP ENGLAND	
Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.	
Gegenstand der Erklärung: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg  Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
Diese Maschine erfüllt die entsprechenden Bestimmungen der Maschinenrichtlinie 2006/42/EG³	
Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:	
Angewandte Richtlinien	Harmonisierte Normen oder sonstigen technischen Spezifikationen
Zusatzangaben: Anmerkung¹: ITW Ltd Handel als Avery Weigh-Tronix Sitz: Nexus House, Station Road, Egham, Surrey, TW20 9LB, England Anmerkung²: Dillon ist ein Teil von Avery Weigh-Tronix Anmerkung³: Eine Kopie der technischen Unterlagen für dieses Gerät kann von M.S. Williams bei der über stehenden Adresse angefordert werden.	
Unterzeichnet für und im Namen von: Avery Weigh-Tronix bei 1000 Armstrong Drive, Fairmont, MN, 56031-1439, USA am 2017-07-18  K. Detert Innovationen / Marketingdirektor	

FR	Déclaration UE de Conformité
Modèle / Type: Dillon AP	
Numéro de série: A partir de X12500	
Nom et adresse du fabricant : Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP ANGLETERRE	
La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.	
Objet de la déclaration: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg  Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
La machine remplit l'ensemble des spécifications du cahier des charges de la Directive relative aux machines 2006/42/CE³	
L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:	
Les directives en vigueur	Les normes harmonisées ou d'autres spécifications techniques
Informations complémentaires: Nota¹: ITW Ltd exerçant également sous le nom de Avery Weigh-Tronix Siège social: Nexus House, Station Road, Egham, Surrey, TW20 9LB, Angleterre Nota²: Dillon fait partie d'Avery Weigh-Tronix Nota³: Pour obtenir un exemplaire de la Fiche technique de cet équipement, s'adresser à M.S. Williams à l'adresse ci-dessus.	
Signé par et au nom de: Avery Weigh-Tronix à 1000 Armstrong Drive, Fairmont, MN, 56031-1439, USA le 2017-07-18  K. Detert Innovations / Directeur Marketing	

NL	EU- Conformiteitsverklaring
Model / Type: Dillon AP	
Seriennummer: Vanaf X12500	
Naam en adres van de fabrikant : Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP ENGLAND	
Deze conformiteitsverklaring wordt verstrekt onder volledige verantwoordelijkheid van de fabrikant.	
Voorwerp van de verklaring: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg  Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
De machine voldoet aan alle relevante bepalingen van de Richtlijn inzake machines 2006/42/EG³	
Het hierboven beschreven voorwerp is in overeenstemming met de desbetreffende harmonisatiewetgeving van de Unie:	
Toepasselijke richtlijnen	Geharmoniseerde standaarden of andere technische specificaties
Aanvullende informatie: Nota¹: ITW Ltd trading as Avery Weigh-Tronix Zetel: Nexus House, Station Road, Egham, Surrey, TW20 9LB, England Nota²: Dillon is een onderdeel van Avery Weigh-Tronix Nota³: Een kopie van het technisch bestand voor deze apparatuur is verkrijgbaar van M.S. Williams op het bovenstaande adres.	
Ondertekend voor en namens: Avery Weigh-Tronix bij 1000 Armstrong Drive, Fairmont, MN, 56031-1439, USA op 2017-07-18  K. Detert Innovaties / Marketing Director	

IT	Dichiarazione di Conformità UE
Modello / Tipo: Dillon AP	
N. di serie: A partire da X12500	
Nome e indirizzo del fabbricante: Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP INGHILTERRA	
La presente dichiarazione di conformità è rilasciata sotto la responsabilità esclusiva del fabbricante.	
Oggetto della dichiarazione: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg  Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
L'apparecchio rispetta tutte le disposizioni rilevanti della Direttiva Macchine 2006/42/CE³	
L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:	
Direttive applicabili	Armonizzato standard o altre specificazioni tecniche
Informazioni supplementari: Nota¹: ITW Ltd trading come Avery Weigh-Tronix Sede dell'ufficio: Nexus House, Station Road, Egham, Surrey, TW20 9LB, England Nota²: Dillon è parte di Avery Weigh-Tronix Nota³: Una copia della scheda tecnica di questo apparecchio è disponibile presso M.S. Williams, all'indirizzo sopra.	
Firmato a nome e per conto di: Avery Weigh-Tronix a 1000 Armstrong Drive, Fairmont, MN, 56031-1439, U.S.A. su 2017-07-18  K. Detert Innovations / Direttore Marketing	

ES	Declaración UE de Conformidad
Modelo / Tipo: Dillon AP	
Número de serie: A partir del X12500	
Nombre y dirección del fabricante: Avery Weigh-Tronix¹ Foundry Lane Smethwick West Midlands B66 2LP INGLATERRA	
La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.	
Objeto de la declaración: Dillon ² AP 5" 500lb - 20,000lb Dillon ² AP 5" 500kg - 10,000kg  Dillon ² AP 10" 1000lb - 30,000lb Dillon ² AP 10" 500kg - 20,000kg	
La máquina cumple con todas las disposiciones pertinentes de la Directiva 2006/42/CE relativa a las máquinas ³	
El objeto de la declaración descrita anteriormente es conforme con la legislación de armonización pertinente de la Unión:	
Directivas aplicables	Normas armonizadas u otras especificaciones técnicas
Información adicional: Nota¹: ITW Ltd trading as Avery Weigh-Tronix Oficina registrada: Nexus House, Station Road, Egham, Surrey, TW20 9LB, Angleterre Nota²: Dillon es parte de Avery Weigh-Tronix Nota³: Puede solicitarse a M.S. Williams una copia del expediente técnico correspondiente a este equipo en la dirección que se indica.	
Firmado en nombre de: Avery Weigh-Tronix en 1000 Armstrong Drive, Fairmont, MN, 56031-1439, EE.UU. el 2017-07-18  K. Detert Innovaciones / Director de Marketing	

